

#### LED LIGHT ENGINE

RATED WATTAGE	10W, 15W, 20W
DELIVERED LUMENS	Up to 1739 lm Per Head
EFFICACY	Up to 97 lpw Per Head
CCT @ 90CRI	2700K, 3000K, 3500K, 4000K, Warm Dim
COLOR QUALITY	90+ CRI, 2-Step SDCM
LED LIFETIME	55,000 hours @ L70

#### SILENT VU™ OPTICS TECHNOLOGY

OPTICS	10°, 30°, 50° Installed
ADJUSTABLE	45° tilt, Infinite Rotation, Tool Free Locking Below Ceiling
MEDIA	Clear, Solite, Frosted, Linear Spread, Hex Louver, Wall Wash

#### DELIVERED LUMENS MATRIX - LUMENS PER LIGHT

		10° Optic	30° Optic	50° Optic
10W	2700K (90CRI)	861 lm	949 lm	859 lm
	3000K (90CRI)	914 lm	1007 lm	912 lm
	3500K (90CRI)	958 lm	1055 lm	956 lm
	4000K (90CRI)	994 lm	1094 lm	992 lm
	Warm Dim	556 lm	685 lm	619 lm
15W	2700K (90CRI)	1275 lm	1404 lm	1272 lm
	3000K (90CRI)	1353 lm	1490 lm	1350 lm
	3500K (90CRI)	1418 lm	1562 lm	1415 lm
	4000K (90CRI)	1471 lm	1620 lm	1467 lm
	Warm Dim	854 lm	1051 lm	950 lm
20W	2700K (90CRI)	1534 lm	1689 lm	1530 lm
	3000K (90CRI)	1628 lm	1793 lm	1624 lm
	3500K (90CRI)	1706 lm	1879 lm	1702 lm
	4000K (90CRI)	1770 lm	1949 lm	1766 lm

#### POWER SUPPLY

INPUT VOLTAGE	120-277V, or 120V
DIMMING	TRIAC, ELV, 0-10V, EcoSystem®, DALI


#### HANGING OPTIONS

- 4' of Stem Kit: (1) 6", (2) 12" & (1) 18"
- (4) 10' Aircraft Cable

#### LISTINGS AND WARRANTY

- cULus Listed to US and Canadian standards for Damp Locations
- Five (5) years limited warranty
- CA Title 24 JA-8 Compliant





Under Trim:  
Inside trim finish is always the same as the Flange finish.

#### FINISH

- **ABL** (Aegean Blue)
- **PNC** (Painted Natural Copper)
- **BB** (Burnished Bronze)
- **RD** (Red)
- **BK** (Gloss Black)
- **SGR** (Sage Green)
- **BLU** (Blue)
- **SND** (Sand)
- **DVG** (Dove Gray)
- **SS** (Satin Silver)
- **FLG** (Flannel Gray)
- **TBZ** (Textured Bronze)
- **GA** (Galvanized)
- **TGP** (Textured Graphite)
- **GWT** (Gloss White)
- **TNG** (Tangerine)
- **LG** (Lime Green)
- **TTL** (Tahitian Teal)
- **MB** (Matte Black)
- **WT** (Semi Gloss White)
- **MBL** (Midnight Blue)
- **YEL** (Yellow)
- **PNA** (Painted Natural Aluminum)

## ORDER MATRIX

### TRIM ORDER MATRIX (EXAMPLE: S3-1L-BKBK-BK-279010-CLFR-00)

TRIM STYLE	BALL FINISH	BEZEL FINISH	TRIM FINISH	CCT	CRI	OPTIC	MEDIA 1	MEDIA 2	REV
<b>S3-1L</b> 1 Light	- <b>ABL</b> (Aegean Blue)	<b>ABL</b>	<b>ABL</b>	- <b>27</b> (2700K)	<b>90</b> (CRI)	<b>-10</b> (10°)	- <b>NL</b> (No Lens)	- <b>NL</b> (No Lens)	<b>-00</b>
	- <b>BB</b> (Burnished Bronze)	<b>BB</b>	<b>BB</b>	- <b>30</b> (3000K)			- <b>CL</b> (Clear Lens)	- <b>CL</b> (Clear Lens)	
<b>S3-2L</b> 2 Light	- <b>BK</b> (Gloss Black)	<b>BK</b>	<b>BK</b>	<b>-35</b> (3500K)		<b>-50</b> (50°)	- <b>FR</b> (Frosted)	- <b>FR</b> (Frosted)	
	- <b>BLU</b> (Blue)	<b>BLU</b>	<b>BLU</b>				- <b>MP</b> (Solite)	- <b>MP</b> (Solite)	
<b>S3-3L</b> 3 Light	- <b>DVG</b> (Dove Gray)	<b>DVG</b>	<b>DVG</b>	<b>-40</b> (4000K)			- <b>LS</b> (Linear Spread)	- <b>LS</b> (Linear Spread)	
	- <b>FLG</b> (Flannel Gray)	<b>FLG</b>	<b>FLG</b>				- <b>HEX</b> (Hex Cell)	Holds 1 Media only when HEX or WW selected.	
<b>S3-4L</b> 4 Light Linear	- <b>GA</b> (Galvanized)	<b>GA</b>	<b>GA</b>	<b>-WD*</b> (Warm Dim)			- <b>WW</b> (Wall Wash)		
	- <b>GWT</b> (Gloss White)	<b>GWT</b>	<b>GWT</b>				*WD available with 10W or 15W options only.		
	- <b>LG</b> (Lime Green)	<b>LG</b>	<b>LG</b>						
	- <b>MB</b> (Matte Black)	<b>MB</b>	<b>MB</b>						
	- <b>MBL</b> (Midnight Blue)	<b>MBL</b>	<b>MBL</b>						
	- <b>PNA</b> (Painted Natural Aluminum)	<b>PNA</b>	<b>PNA</b>						
	- <b>PNC</b> (Painted Natural Copper)	<b>PNC</b>	<b>PNC</b>						
	- <b>RD</b> (Red)	<b>RD</b>	<b>RD</b>						
	- <b>SGR</b> (Sage Green)	<b>SGR</b>	<b>SGR</b>						
	- <b>SND</b> (Sand)	<b>SND</b>	<b>SND</b>						
	- <b>SS</b> (Satin Silver)	<b>SS</b>	<b>SS</b>						
	- <b>TBZ</b> (Textured Bronze)	<b>TBZ</b>	<b>TBZ</b>						
	- <b>TGP</b> (Textured Graphite)	<b>TGP</b>	<b>TGP</b>						
	- <b>TNG</b> (Tangerine)	<b>TNG</b>	<b>TNG</b>						
	- <b>TTL</b> (Tahitian Teal)	<b>TTL</b>	<b>TTL</b>						
	- <b>WT</b> (Semi Gloss White)	<b>WT</b>	<b>WT</b>						
	- <b>YEL</b> (Yellow)	<b>YEL</b>	<b>YEL</b>						

#### MEDIA

- S2-Lens-CL-0** (Clear Lens)
- S2-Lens-FR-0** (Frosted Lens)
- S2-Lens-MP-0** (Solite Lens)
- S2-Lens-LS-0** (Linear Spread)
- S2-Lens-HEX-0\*** (Hex Louver)
- S2-Lens-WW-0\*** (Wall Wash)

#### BEAM SPREADS

Downlight      Adjustable      Wall Wash

#### OPTICS

- S2-10-OPTIC-0** (10° Spot)
- S2-30-OPTIC-0** (30° Narrow Flood)
- S2-50-OPTIC-0** (50° Flood)

10° Spot      30° Narrow Flood      50° Flood



GYROSHIFT  
MULTIPLES

**GYROSHIFT MULTIPLES  
3" ADJUSTABLE PENDANT**

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

SPEC-00283 GYROSHIFT-MULTIPLES, 3", V-1.3, UPDATED 10/14/2022


S3, S3AF

**ORDER MATRIX**


**HOUSING ORDER MATRIX (EXAMPLE: S3AF-1LSS-WT15S-00)**

HOUSING SIZE	HANGING TYPE	HOUSING FINISH	WATTS PER LIGHT	DRIVER	REV
<b>S3AF-1L</b> 1 Light Housing  <b>S3AF-2L</b> 2 Light Housing  <b>S3AF-3L</b> 3 Light Housing  <b>S3AF-4L</b> 4 Light Housing	<b>SS</b> (Suspended Stem) 4' of Stem Kit: (1) 6", (2) 12" & (1) 18"	-ABL (Aegean Blue)	-10 (10W)	<b>S</b> (ERP, Universal Dim, Triac/ELV/0-10V 1% 120-277V) <i>Forward and reverse phase dimming at 120V only.</i>  <b>L3</b> (Lutron Hi-Lume® Fade-to-Black 1% 120-277V)  <b>EL1</b> (EldoLED DALI 1% 120-277V)  <b>EL2</b> (EldoLED 0-10V 1% 120-277V)	-00
		-BB (Burnished Bronze)	-15 (15W)		
	<b>SA</b> (Suspended Aircraft) (4) 10' Aircraft Cable	-BK (Gloss Black)	-20* (20W)		
		-BLU (Blue)	* Not available with Warm Dim.		
		-DVG (Dove Gray)			
		-FLG (Flannel Gray)			
		-GA (Galvanized)			
		-GWT (Gloss White)			
		-LG (Lime Green)			
		-MB (Matte Black)			
		-MBL (Midnight Blue)			
		-PNA (Painted Natural Aluminum)			
		-PNC (Painted Natural Copper)			
		-RD (Red)			
		-SGR (Sage Green)			
		-SND (Sand)			
		-SS (Satin Silver)			
		-TBZ (Textured Bronze)			
		-TGP (Textured Graphite)			
		-TNG (Tangerine)			
		-TTL (Tahitian Teal)			
		-WT (Semi Gloss White)			
		-YEL (Yellow)			

**SS** (Suspended Stem)  
4' of Stem Kit: (1) 6", (2) 12" & (1) 18"




**SA** (Suspended Aircraft)  
(4) 10' Aircraft Cable




### LINE DRAWINGS

#### S3AF-1LSS 3" - 1 Light Suspended Stem




#### S3AF-1LSA 3" - 1 Light Suspended Aircraft




### LINE DRAWINGS

#### S3AF-2LSS 3" - 2 Light Suspended Stem



#### S3AF-2LSA 3" - 2 Light Suspended Aircraft




### LINE DRAWINGS

#### S3AF-3LSS

3" - 3 Light


Suspended Stem



#### S3AF-3LSA

3" - 3 Light


Suspended Aircraft



### LINE DRAWINGS


#### S3AF-4LSS

3" - 4 Light Linear  
Suspended Stem



#### S3AF-4LSA


3" - 4 Light Linear  
Suspended Aircraft



### STANDARD FINISHES




**ABL**  
Aegean Blue



**BB**  
Burnished Bronze



**BK**  
Gloss Black



**BLU**  
Blue



**DVG**  
Dove Gray



**FLG**  
Flannel Gray




**GA**  
Galvanized




**GWT**  
Gloss White



**LG**  
Lime Green




**MB**  
Matte Black



**MBL**  
Midnight Blue




**PNA**  
Painted Natural Aluminum



**PNC**  
Painted Natural Copper



**RD**  
Red



**SGR**  
Sage Green



**SND**  
Sand



**SS**  
Satin Silver



**TBZ**  
Textured Bronze



**TGP**  
Textured Graphite




**TNG**  
Tangerine



**TTL**  
Tahitian Teal



**WT**  
Semi Gloss White



**YEL**  
Yellow