GLOBE

White Acrylic Globe
with Machined Top Cover

Catalog #:

Project: Type:

Date: Notes:

Electrical
- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

Mounting
- 1/2” or 3/4” IP for arms. Flush mount, stems and post available only in 1/2”
- 9’ Pendant cord available in black or white cord (includes 5” canopy with the same finish as the shade)

Finishes
- Top cover and mounting finish options
- Available in 21 standard and 2 specialty finishes with optional coastal coating to protect finish in coastal environments (add “-C” to the finish)
- Consult factory for custom finish options

Listing
UL listed to US and Canadian standards for wet locations



	A
GL12	12”
GL14	14”
GL16	16”
GL18	18”

Globe Order Matrix (Example: GL14LED1827TBZ-2)

Diameter	Lamp / LED	Top Cover Finish	Coastal Coating	Mounting Type
☐ **GL12** (12”)	☐ **M** (Medium Base, 100W max.)	☐ **ABL** Aegean Blue)	☐ (blank) (No coating)	☐ **-2** (1/2” IP)
☐ **GL14** (14”)	☐ **GU2413**[1] (13W GU24 / 2700K)	☐ **BB** (Burnished Bronze)	☐ **-C** (Coating)	☐ **-3** (3/4” IP)
☐ **GL16** (16”)	☐ **GU2418**[1] (18W GU24 / 2700K)	☐ **BK** (Gloss Black)		☐ **-B** (Black Cord Pendant)
☐ **GL18** (18”)	☐ **GU2426**[1] (26W GU24 / 2700K)	☐ **BLU** (Blue)		☐ **-W** (White Cord Pendant)
	☐ **GU2432**[1] (32W GU24 / 2700K)	☐ **DVG** (Dove Gray)		☐ **-F** (Flush Mount)
	☐ **GU2442**[1] (42W GU24 / 2700K)	☐ **FLG** (Flannel Gray)		
	☐ **LED1227**[1,2] (12W LED / 2700K / 90 CRI / 844lm)	☐ **GA** (Galvanized)		
	☐ **LED1230**[1,2] (12W LED / 3000K / 90 CRI / 861lm)	☐ **LG** (Lime Green)		
	☐ **LED1235**[1,2] (12W LED / 3500K / 90 CRI / 872lm)	☐ **MB** (Matte Black)		
	☐ **LED1240**[1,2] (12W LED / 4000K / 90 CRI / 889lm)	☐ **MBL** (Midnight Blue)		
	☐ **LED1827**[1,2] (18W LED / 2700K / 90 CRI / 1265lm)	☐ **PNA** (Painted Natural Aluminum)		
	☐ **LED1830**[1,2] (18W LED / 3000K / 90 CRI / 1288lm)	☐ **PNC** (Painted Natural Copper)		
	☐ **LED1835**[1,2] (18W LED / 3500K / 90 CRI / 1311lm)	☐ **RD** (Red)		
	☐ **LED1840**[1,2] (18W LED / 4000K / 90 CRI / 1334lm)	☐ **SGR** (Sage Green)		
		☐ **SGW** (Semi Gloss White)		
		☐ **SND** (Sand)		
		☐ **SS** (Satin Silver)		
		☐ **TBZ** (Textured Bronze)		
		☐ **TGP** (Textured Graphite)		
		☐ **TNG** (Tangerine)		
		☐ **TTL** (Tahitian Teal)		
		☐ **WT** (Gloss White)		
		☐ **YEL** (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

KEY: Standard Finishes

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

Specialty Finishes

- **GA** (Galvanized)

Spec-00030 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.

GLOBE

White Acrylic Globe
with Machined Top Cover

Catalog #:

Project: Type:

Date: Notes:

Arm Mount Order Matrix (Example: 2SL23TBZ)

Pipe	Arm Type	Finish	Coastal Coating Option	Input Voltage
☐ **2** (1/2" IP)	☐ **SL23** (Small Loop- 23")	☐ **ABL** (Aegean Blue)	☐ (blank) (No coating)	☐ (blank) (120V)
☐ **3** (3/4" IP)	☐ **SL30** (Small Loop- 30")	☐ **BB** (Burnished Bronze)	☐ **-C** (Coating)	☐ **-27** (277V)
	☐ **LL23** (Large Loop - 23")	☐ **BK** (Gloss Black)		
	☐ **LL30** (Large Loop - 30")	☐ **BLU** (Blue)		
	☐ **LC18** (Curve Arm - 18")	☐ **DVG** (Dove Gray)		
	☐ **LC24** (Curve Arm - 24")	☐ **FLG** (Flannel Gray)		
	☐ **LC30** (Curve Arm - 30")	☐ **GA** (Galvanized)		
	☐ **LM18** (Miter Arm - 18")	☐ **LG** (Lime Green)		
	☐ **LM24** (Miter Arm - 24")	☐ **MB** (Matte Black)		
	☐ **LM30** (Miter Arm - 30")	☐ **MBL** (Midnight Blue)		
	☐ **SA18** (Sign Arm - 18")	☐ **PNA** (Painted Natural Aluminum)		
	☐ **SA23** (Sign Arm - 23")	☐ **PNC** (Painted Natural Copper)		
	☐ **LSA23** (Large Loop Sign Arm - 23")	☐ **RD** (Red)		
	☐ **LSA30** (Large Loop Sign Arm - 30")	☐ **SGR** (Sage Green)		
	☐ **A6** (Straight Arm - 6")	☐ **SGW** (Semi Gloss White)		
	☐ **A12** (Straight Arm - 12")	☐ **SND** (Sand)		
	☐ **A18** (Straight Arm - 18")	☐ **SS** (Satin Silver)		
	☐ **A24** (Straight Arm - 24")	☐ **TBZ** (Textured Bronze)		
	☐ **A30** (Straight Arm - 30")	☐ **TGP** (Textured Graphite)		
	☐ **MA18** (Modern Arm - 18")	☐ **TNG** (Tangerine)		
	☐ **MA24** (Modern Arm - 24")	☐ **TTL** (Tahitian Teal)		
	☐ **MA30** (Modern Arm - 30")	☐ **WT** (Gloss White)		
		☐ **YEL** (Yellow)		

Standard Finishes

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

Specialty Finishes

- **GA** (Galvanized)

Note: All arm mounts include canopy

120V Canopy



277V Canopy



Small Loop Arm



Large Loop Arm



Curve Arm



Miter Arm



Sign Arm



Large Loop Sign Arm



Straight Arm



Modern Arm



Spec-00030 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.

GLOBE

White Acrylic Globe
with Machined Top Cover

Catalog #:

Project: Type:

Date: Notes:

Knuckle Accessory Order Matrix (Example: 2KNLTBZ)

Pipe	Finish	Finish	Coastal Coating Option
☐ **2** (1/2" IP) ☐ **3** (3/4" IP)	**KNL** (Adjustable 180° Knuckle for Arm Mounts)	☐ **ABL** (Aegean Blue) ☐ **BB** (Burnished Bronze) ☐ **BK** (Gloss Black) ☐ **BLU** (Blue) ☐ **DVG** (Dove Gray) ☐ **FLG** (Flannel Gray) ☐ **GA** (Galvanized) ☐ **LG** (Lime Green) ☐ **MB** (Matte Black) ☐ **MBL** (Midnight Blue) ☐ **PNA** (Painted Natural Aluminum) ☐ **PNC** (Painted Natural Copper) ☐ **RD** (Red) ☐ **SGR** (Sage Green) ☐ **SGW** (Semi Gloss White) ☐ **SND** (Sand) ☐ **SS** (Satin Silver) ☐ **TBZ** (Textured Bronze) ☐ **TGP** (Textured Graphite) ☐ **TNG** (Tangerine) ☐ **TTL** (Tahitian Teal) ☐ **WT** (Gloss White) ☐ **YEL** (Yellow)	☐ (blank) (No coating) ☐ **-C** (Coating)

Description
Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.

Knuckle Accessory



KEY: Standard Finishes

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

Specialty Finishes

- **GA** (Galvanized)

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.

GLOBE

White Acrylic Globe
with Machined Top Cover

Catalog #:

Project: Type:

Date: Notes:

Post / Wall Mount Order Matrix (Example: 2P1TBZ)

Pipe	Mount Type	Finish	Input Voltage
☐ **2** (1/2" IP)	☐ **P1** (Single Post Mount) ☐ **P2** (Double Post Mount) ☐ **W1** (Traditional Wall Mount)	☐ **ABL** (Aegean Blue) ☐ **BB** (Burnished Bronze) ☐ **BK** (Gloss Black) ☐ **BLU** (Blue) ☐ **DVG** (Dove Gray) ☐ **FLG** (Flannel Gray) ☐ **GA** (Galvanized) ☐ **LG** (Lime Green) ☐ **MB** (Matte Black) ☐ **MBL** (Midnight Blue) ☐ **PNA** (Painted Natural Aluminum) ☐ **PNC** (Painted Natural Copper) ☐ **RD** (Red) ☐ **SGR** (Sage Green) ☐ **SGW** (Semi Gloss White) ☐ **SND** (Sand) ☐ **SS** (Satin Silver) ☐ **TBZ** (Textured Bronze) ☐ **TGP** (Textured Graphite) ☐ **TNG** (Tangerine) ☐ **TTL** (Tahitian Teal) ☐ **WT** (Gloss White) ☐ **YEL** (Yellow)	☐ (blank) (120V) ☐ **-27**[3] (277V)

3. Post mount only

Post Type Order Matrix (Example: P8683-96TBZ)

Post Type	Finish
☐ **PM4946** (Cast Aluminum Post) ☐ **P8683-96** (Cast Aluminum Base w/ 96" Aluminum Post) ☐ **P8683-120** (Cast Aluminum Base w/ 120" Aluminum Post) ☐ **P8684-96** (96" Straight Aluminum Post) ☐ **P8684-120** (120" Straight Aluminum Post) ☐ **PM8685** (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	☐ **ABL** (Aegean Blue) ☐ **BB** (Burnished Bronze) ☐ **BK** (Gloss Black) ☐ **BLU** (Blue) ☐ **DVG** (Dove Gray) ☐ **FLG** (Flannel Gray) ☐ **GA** (Galvanized) ☐ **LG** (Lime Green) ☐ **MB** (Matte Black) ☐ **MBL** (Midnight Blue) ☐ **PNA** (Painted Natural Aluminum) ☐ **PNC** (Painted Natural Copper) ☐ **RD** (Red) ☐ **SGR** (Sage Green) ☐ **SGW** (Semi Gloss White) ☐ **SND** (Sand) ☐ **SS** (Satin Silver) ☐ **TBZ** (Textured Bronze) ☐ **TGP** (Textured Graphite) ☐ **TNG** (Tangerine) ☐ **TTL** (Tahitian Teal) ☐ **WT** (Gloss White) ☐ **YEL** (Yellow)

Standard Finishes

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

Specialty Finishes

- **GA** (Galvanized)

Single Post Mount



Double Post Mount



Traditional Wall Mount





P8683 P8684



PM8685



Note: Must be used with aluminum post (P8684)

Spec-00030 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.

GLOBE

White Acrylic Globe
with Machined Top Cover

Catalog #:

Project: Type:

Date: Notes:

Stem Mount Order Matrix (Example: 2HS36TBZ)

Pipe	Stem Length	Finish	Coastal Coating Option
☐ **2** (1/2" IP)	☐ **HS12** (12") ☐ **HS18** (18") ☐ **HS24** (24") ☐ **HS36** (36") ☐ **HS48** (48") ☐ **HS__** (Custom length from 2" up to 60")	☐ **ABL** (Aegean Blue) ☐ **BB** (Burnished Bronze) ☐ **BK** (Gloss Black) ☐ **BLU** (Blue) ☐ **DVG** (Dove Gray) ☐ **FLG** (Flannel Gray) ☐ **GA** (Galvanized) ☐ **LG** (Lime Green) ☐ **MB** (Matte Black) ☐ **MBL** (Midnight Blue) ☐ **PNA** (Painted Natural Aluminum) ☐ **PNC** (Painted Natural Copper) ☐ **RD** (Red) ☐ **SGR** (Sage Green) ☐ **SGW** (Semi Gloss White) ☐ **SND** (Sand) ☐ **SS** (Satin Silver) ☐ **TBZ** (Textured Bronze) ☐ **TGP** (Textured Graphite) ☐ **TNG** (Tangerine) ☐ **TTL** (Tahitian Teal) ☐ **WT** (Gloss White) ☐ **YEL** (Yellow)	☐ (blank) (No coating) ☐ **-C** (Coating)



Stem mounts can be used for sloped ceiling up to 30°

Note: All stems include 2-3/8" canopy and ball swivels

KEY: Standard Finishes

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

Specialty Finishes

- **GA** (Galvanized)

Ceiling Flush Mount Canopy



Pendant Canopy



Note: Ceiling flush mount canopy includes 2" stem

Spec-00030 Revised 05/07/2020

14508 Nelson Ave. City of Industry, CA 91744 • tel: 626.336.4511 • fax: 626.330.4266 • www.TroyRLM.com
©2020 Troy-RLM Lighting, A Division of Troy-CSL Lighting, Inc. All rights reserved. Subject to change without notice.