



- Shifts the Full, Round Beam of Light to Any Angle, No Cut-Off
- Easy to Adjust From Below Ceiling, No Tools
- Native IC, Installs Anywhere

#### LED LIGHT ENGINE

RATED WATTAGE	10W, 15W, 20W
DELIVERED LUMENS	Up to 1317 lm
EFFICACY	Up to 66 LPW
CCT @ 90CRI	2700K, 3000K, 3500K
COLOR QUALITY	90+ CRI, 2-Step SDCM
LED LIFETIME	55,000 hours @ L70

#### SILENT VU™ OPTICS TECHNOLOGY

OPTICS	10°, 30°, 50° Installed
ADJUSTABLE	0° to 45° tilt, Infinite Rotation
MEDIA	Solite, Frosted, Linear Spread, Hex Louver, Wall Wash

#### DELIVERED LUMENS MATRIX

##### 1 Inch

GSD-1 (10W)	30° Optic	50° Optic
2700K (90CRI)	588 lm	598 lm
3000K (90CRI)	631 lm	642 lm
3500K (90CRI)	631 lm	642 lm

##### 2 Inch

GSD-2 (15W)	10° Optic	30° Optic	50° Optic
2700K (90CRI)	905 lm	992 lm	956 lm
3000K (90CRI)	969 lm	1063 lm	1024 lm
3500K (90CRI)	1045 lm	1146 lm	1104 lm

##### 3 Inch

GSD-3 (20W)	10° Optic	30° Optic	50° Optic
2700K (90CRI)	1186 lm	1139 lm	1225 lm
3000K (90CRI)	1186 lm	1139 lm	1225 lm
3500K (90CRI)	1275 lm	1224 lm	1317 lm

#### POWER SUPPLY

INPUT VOLTAGE	120-277V
DIMMING	TRIAC, ELV, 0-10V
POWER FACTOR	>0.9, 50/60Hz, 1-100% Range
SERVICABILITY	Below Ceiling Access

#### TRIM OPTIONS

- Fixed or Adjustable
- Round or Square

#### TRIM COLORS

- White with White Flange
- Black with White Flange
- Haze with White Flange
- Bronze with White Flange

#### HOUSING INSTALLATION

- Remodeler, Native IC, no housing, CCEA
- New Construction Tray available
- Enclosed Foam Box available
- All configurations install in ½" - 2" ceiling thicknesses
- Min Plenum Height: 1" requires 5½", 2" & 3" require 3½"
- Ceiling Material: Drywall, T-bar Grid

#### LISTINGS AND WARRANTY

cULus Listed

UL Listed for Damp Location

UL Listed for Wet Location

Native IC, All configurations

CCEA (Chicago Plenum) Approved

CA Title 24-JA8 Compliant (without media)

Energy Star® Listed (without media)

Five (5) years limited warranty





GYROSHIFT

**GYROSHIFT ADJUSTABLE  
1" 2" 3" LED DOWNLIGHT**

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

SPEC-00220 GYROSHIFT, 1" 2" 3", V-0.7, UPDATED 03/15/2024

**GSD-1, GSD-2, GSD-3  
(Round Trim, Square Trim)****ORDER MATRIX** (NOTE: ENERGY STAR and Title 24 JA8 Compliant without media only)**GSD-1****1" GYROSHIFT NATIVE IC LIGHT ENGINE ORDER MATRIX** (EXAMPLE: GSD-1-2790-R-WT-WT-30-NL)

SIZE	CCT	CRI	TRIM SHAPE	TRIM & REFLECTOR COLOR	BEAM ANGLE	MEDIA 1
<b>GSD-1</b>	<b>-27</b> (2700K)	<b>90</b> (90 CRI)	<b>-R</b> (Round)	<b>-WT-WT</b> (White-White)	<b>-30</b> (30°)	<b>-NL</b> (No Lens)
1" GyroShift	<b>-30</b> (3000K)		<b>-S</b> (Square)	<b>-WT-BK</b> (White-Black)	<b>-50</b> (50°)	<b>-FR</b> (Frosted)
CCEA	<b>-35</b> (3500K)			<b>-WT-PNA</b> (White-Haze)		<b>-MP</b> (Solite)
				<b>-WT-TBZ</b> (White-Bronze)		<b>-LS</b> (Linear Spread)
						<b>-WW</b> (Wall Wash)

**GSD-2****2" GYROSHIFT NATIVE IC LIGHT ENGINE ORDER MATRIX** (EXAMPLE: GSD-2-2790-R-WT-WT-30-NL)

SIZE	CCT	CRI	TRIM SHAPE	TRIM & REFLECTOR COLOR	BEAM ANGLE	MEDIA 1	MEDIA 2
<b>GSD-2</b>	<b>-27</b> (2700K)	<b>90</b> (90 CRI)	<b>-R</b> (Round)	<b>-WT-WT</b> (White-White)	<b>-10</b> (10°)	<b>-NL</b> (No Lens)	<b>-NL</b> (No Lens)
2" GyroShift	<b>-30</b> (3000K)		<b>-S</b> (Square)	<b>-WT-BK</b> (White-Black)	<b>-30</b> (30°)	<b>-FR</b> (Frosted)	<b>-FR</b> (Frosted)
CCEA	<b>-35</b> (3500K)			<b>-WT-PNA</b> (White-Haze)	<b>-50</b> (50°)	<b>-MP</b> (Solite)	<b>-MP</b> (Solite)
				<b>-WT-TBZ</b> (White-Bronze)		<b>-LS</b> (Linear Spread)	<b>-LS</b> (Linear Spread)
						<b>-HEX</b> (Hex Cell)	Holds 1 Media only when HEX or WW selected.
						<b>-WW</b> (Wall Wash)	

**GSD-3****3" GYROSHIFT NATIVE IC LIGHT ENGINE ORDER MATRIX** (EXAMPLE: GSD-3-2790-R-WT-WT-30-NL)

SIZE	CCT	CRI	TRIM SHAPE	TRIM & REFLECTOR COLOR	BEAM ANGLE	MEDIA 1	MEDIA 2
<b>GSD-3</b>	<b>-27</b> (2700K)	<b>90</b> (90 CRI)	<b>-R</b> (Round)	<b>-WT-WT</b> (White-White)	<b>-10</b> (10°)	<b>-NL</b> (No Lens)	<b>-NL</b> (No Lens)
3" GyroShift	<b>-30</b> (3000K)		<b>-S</b> (Square)	<b>-WT-BK</b> (White-Black)	<b>-30</b> (30°)	<b>-FR</b> (Frosted)	<b>-FR</b> (Frosted)
CCEA	<b>-35</b> (3500K)			<b>-WT-PNA</b> (White-Haze)	<b>-50</b> (50°)	<b>-MP</b> (Solite)	<b>-MP</b> (Solite)
				<b>-WT-TBZ</b> (White-Bronze)		<b>-LS</b> (Linear Spread)	<b>-LS</b> (Linear Spread)
						<b>-HEX</b> (Hex Cell)	Holds 1 Media only when HEX or WW selected.
						<b>-WW</b> (Wall Wash)	

**ROUGH-IN PAN**

- GSD-1-PAN** (Pan and hanger bar for 1" downlight)
- GSD-2-PAN** (Pan and hanger bar for 2" downlight)
- GSD-3-PAN** (Pan and hanger bar for 3" downlight)

**FOAM BOX**

- GSD-1-FOAM** (Foam box enclosure for 1" downlight)
- GSD-2-FOAM** (Foam box enclosure for 2" downlight)
- GSD-3-FOAM** (Foam box enclosure for 3" downlight)

**EMERGENCY OPTIONS**

- EM-1000** (25W Remote Inverter)
- EM-1002** (10W Remote EM Driver)
- EM-1003-CA** (35W Remote Inverter) Title 20
- EM-1004** (50W Remote Inverter)
- EM-1006** (25W Remote Inverter) Title 20



**OPTICS**

- S1-30-OPTIC-0** (GSD-1 30° Optic)
- S1-50-OPTIC-0** (GSD-1 50° Optic)
- S2-10-OPTIC-0** (GSD-2 10° Optic)
- S2-30-OPTIC-0** (GSD-2 30° Optic)
- S2-50-OPTIC-0** (GSD-2 50° Optic)
- S3-10-OPTIC-0** (GSD-3 10° Optic)
- S3-30-OPTIC-0** (GSD-3 30° Optic)
- S3-50-OPTIC-0** (GSD-3 50° Optic)



### HOUSING AND LIGHT ENGINE LINE DRAWINGS



**GSD-1  
GYROSHIFT 1" ROUND**



**GSD-1  
GYROSHIFT 1" SQUARE**



# CSL

## GYROSHIFT

### GYROSHIFT ADJUSTABLE 1" 2" 3" LED DOWNLIGHT

PROJECT: \_\_\_\_\_


TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

SPEC-00220 GYROSHIFT, 1" 2" 3", V-0.7, UPDATED 03/15/2024

GSD-1, GSD-2, GSD-3  
(Round Trim, Square Trim)

### HOUSING AND LIGHT ENGINE LINE DRAWINGS



# CSL

## GYROSHIFT

### GYROSHIFT ADJUSTABLE 1" 2" 3" LED DOWNLIGHT

PROJECT: \_\_\_\_\_


TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

SPEC-00220 GYROSHIFT, 1" 2" 3", V-0.7, UPDATED 03/15/2024

GSD-1, GSD-2, GSD-3  
(Round Trim, Square Trim)

### HOUSING AND LIGHT ENGINE LINE DRAWINGS





GYROSHIFT

# GYROSHIFT ADJUSTABLE 1" 2" 3" LED DOWNLIGHT

GSD-1, GSD-2, GSD-3  
(Round Trim, Square Trim)

PROJECT: \_\_\_\_\_



TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_



SPEC-00220 GYROSHIFT, 1" 2" 3", V-0.7, UPDATED 03/15/2024

## HOUSING DIMENSIONS


1" DOWNLIGHT, PAN AND HANGER HAR





1" DOWNLIGHT, FOAM BOX ENCLOSURE





2" DOWNLIGHT, PAN AND HANGER HAR





2" DOWNLIGHT, FOAM BOX ENCLOSURE



3" DOWNLIGHT, PAN AND HANGER HAR




3" DOWNLIGHT, FOAM BOX ENCLOSURE




### TRIM SHAPE

#### GYROSHIFT 1" ROUND TRIM




#### GYROSHIFT 1" SQUARE TRIM




### TRIM & REFLECTOR COLOR




Round  
White Trim - White Reflector



Round  
White Trim - Black Reflector




Round  
White Trim - Haze Reflector




Round  
White Trim - Bronze Reflector




Square  
White Trim - White Reflector



Square  
White Trim - Black Reflector



Square  
White Trim - Haze Reflector





Square  
White Trim - Bronze Reflector


**TRIM SHAPE**

**GYROSHIFT 2" ROUND TRIM**


**GYROSHIFT 2" SQUARE TRIM**




**TRIM & REFLECTOR COLOR**




Round  
White Trim - White Reflector



Round  
White Trim - Black Reflector



Round  
White Trim - Haze Reflector




Round  
White Trim - Bronze Reflector



Square  
White Trim - White Reflector



Square  
White Trim - Black Reflector




Square  
White Trim - Haze Reflector




Square  
White Trim - Bronze Reflector

**TRIM SHAPE**


**GYROSHIFT 3" ROUND TRIM**




**GYROSHIFT 3" SQUARE TRIM**




**TRIM & REFLECTOR COLOR**




Round  
White Trim - White Reflector



Round  
White Trim - Black Reflector



Round  
White Trim - Haze Reflector



Round  
White Trim - Bronze Reflector



Square  
White Trim - White Reflector



Square  
White Trim - Black Reflector




Square  
White Trim - Haze Reflector




Square  
White Trim - Bronze Reflector

### PHOTOMETRICS


GyroShift Downlight 3", 10° Optic



GyroShift Downlight 3", 30° Optic



GyroShift Downlight 3", 50° Optic





GYROSHIFT

**GYROSHIFT ADJUSTABLE  
1" 2" 3" LED DOWNLIGHT**

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

SPEC-00220 GYROSHIFT, 1" 2" 3", V-0.7, UPDATED 03/15/2024

GSD-1, GSD-2, GSD-3  
(Round Trim, Square Trim)

**DIMMING DRIVER COMPATIBILITY**

**COMPATIBLE PHASE CUT DIMMERS AND DIMMING RANGE**

Dimmer Information		Dimmer Information	
Manufacturer	Product	Manufacturer	Product
Cooper	DAL06P	Lutron	CT103P
	DLC03P		DV600P
	SLC03P		DVCL-153P
Leviton	6161		DVEL303P
	6631-2		FAELV500
	6633-P		LG600P
	6673-10W		MAELV600
	6683-IW		S600P
	IPE04		S-603PG
	IPI06-1LZ		SELV300P
	VPE06		TG-600P
Lightolier	ZP26QEW		TGCL-153P

**COMPATIBLE 1-10V DIMMERS  
AND DIMMING RANGE**

Dimmer Information	
Manufacturer	Product
Leviton	IP740-DLZ
Lightolier	ZP600FAM120
	V2000FAMU
Lutron	DVTV
	NTFTV
Crestron	CLS-EXP-DIMFLV
	DIN-4DIMFLV4
	DIN-A08
	GLX-DIMFLV8