Aluminum Shade with Glass and Guard Options

Catalog	g #:
---------	------

Date:

Project:

Type: Notes:

Electrical

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- · Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

Mounting

- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

Finishes

- · Shade and mounting finish options
- Available in 21 standard and 2 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- · Inner shade is painted gloss white
- · Consult factory for custom finish options

Optional Accessories

• Glass, Cast Guard or Wire Cage options available


Listing

UL listed to US and Canadian standards for wet locations









Nostalgia Order Matrix (Example: NC16MTGP-FGWC-3)

Diameter	Lamp / LED		Finish		Coastal Co	oating Option	Accessorie	S	Mounting Type
NC14 (14") NC16 (16")	LED1235 ^{1,3,4} LED1240 ^{1,3,4} LED1827 ^{1,3,4} LED1830 ^{1,3,4} LED1835 ^{1,3,4}	(Medium Base, 100W max.) (13W GU24 / 2700K) (18W GU24 / 2700K) (26W GU24 / 2700K) (32W GU24 / 2700K) (42W GU24 / 2700K) (12W LED / 2700K / 90 CRI / 844lm) (12W LED / 3000K / 90 CRI / 861lm) (12W LED / 3500K / 90 CRI / 872lm) (12W LED / 4000K / 90 CRI / 889lm) (18W LED / 2700K / 90 CRI / 1265lm) (18W LED / 3500K / 90 CRI / 1288lm) (18W LED / 3500K / 90 CRI / 1311lm) (18W LED / 4000K / 90 CRI / 1334lm)	BB BK BLU DVG FLG GA LG MB MBL PNA PNC RD SGR SGW SND SS TBZ	(Burnished Bronze) (Gloss Black) (Blue) (Dove Gray) (Flannel Gray) (Galvanized) (Lime Green) (Matte Black) (Midnight Blue) (Painted Natural Aluminum) (Painted Natural Copper) (Red) (Sage Green) (Semi Gloss White) (Sand) (Satin Silver) (Textured Bronze) (Textured Graphite)	-C	(No coating) (Coating)	-CG -FG -CGG -FGG -CGWC	(No accessories) (Clear Glass) (Frosted Glass) (Clear Glass w/ Cast Guard) (Frosted Glass w/ Cast Guard) (Frosted Glass w/ Wire Cage) (Frosted Glass w/ Wire Cage)	-2 (1/2" IP) -3 (3/4" IP) -B (Black Cord Pendant) -W (White Cord Pendant) -F (Flush Mount)

- 1. Lamps must be specified, and are not included in shade cost
- Not for use in glass/cast guard/wire cage
 Glass enclosure must be specified
- 4. Lumen are raw LED value

KEY: Standard Finishes



Spec-00034 Revised 05/07/2020



(Galvanized)







Aluminum Shade with Glass and Guard Options


Catalog #:

Project:

Type:


Date:

Notes:




Glass Enclosure

• Glass is available in clear (-CG) and frosted (-FG)



Wire Cage with Glass Enclosure

- Wire cage can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire cage is finished in Painted Natural Aluminum)
- Glass is available in clear (-CGWC) and frosted (-FGWC)



Cast Guard with Glass Enclosure

- Cast guard can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, cast guard is unfinished Raw Aluminum)
- Glass is available in clear (-CGG) and frosted (-FGG)



Aluminum Shade with Glass and Guard Options

Catalog #:

Project:


Type: Notes:


Date:

Arm Mount Order Matrix (Example: 3LL23TGP)

Pipe	Arm Type		Finish		Coastal C	oating Option	Input Volt	age	Sta	ndard	l Finishes		
2 (1/2" IP)	SL23	(Small Loop- 23")	ABL	(Aegean Blue)	(blank	(No coating)	,	(120V)		ABL	(Aegean Blue)	RD	(Red)
3 (3/4" IP)	SL30 LL23	(Small Loop- 30") (Large Loop - 23")	BB BK	(Burnished Bronze) (Gloss Black)	-C	(Coating)	-27	(277V)		ВВ	(Burnished Bronze)	SGR	(Sage Green)
	LL30	(Large Loop - 30")	BLU	(Blue)						BK	(Gloss Black)	SGW	(Semi Gloss White)
	LC18	(Curve Arm - 18")		, ,,						BLU	(Blue)	SND	(Sand)
	LC24 LC30	(Curve Arm - 24") (Curve Arm - 30")	FLG GA	(Flannel Gray) (Galvanized)							,	SS	` '
	LM18	(Miter Arm - 18")	LG	(Lime Green)						DVG	i (Dove Gray)	33	(Satin Silver)
	LM24	(Miter Arm - 24")	MB	(Matte Black)						FLG	(Flannel Gray)	TBZ	(Textured Bronze)
	LM30	(Miter Arm - 30")	MBL	(Midnight Blue)						LG	(Lime Green)	TGP	(Textured Graphite)
	SA18	(Sign Arm - 18")	ı	(Painted Natural Aluminum)							,	TNO	, ,
	SA23	(Sign Arm - 23")		(Painted Natural Copper)						MB	(Matte Black)	TNG	(Tangerine)
		(Large Loop Sign Arm - 23")	RD	(Red)						MBI	(Midnight Blue)	TTL	(Tahitian Teal)
	LSA30 A6	(Large Loop Sign Arm - 30") (Straight Arm - 6")		(Sage Green) (Semi Gloss White)						PΝΔ	(Painted Natural	WT	(Gloss White)
	A12	(Straight Arm - 12")	SND	(Sand)							Aluminum)		,
	A18	(Straight Arm - 18")	SS	(Satin Silver)						- DAVIG	,	YEL	(Yellow)
	A24	(Straight Arm - 24")	TBZ	(Textured Bronze)						PNC	,		
	A30	(Straight Arm - 30")	TGP	(Textured Graphite)							Copper)		
	MA18	(Modern Arm - 18")	TNG	(Tangerine)									
		(Modern Arm - 24")	TTL	(Tahitian Teal)					Spe	cialty	/ Finishes		
	MA30	(Modern Arm - 30")	WT	(Gloss White)									
			YEL	(Yellow)						GA	(Galvanized)		

Note: All arm mounts include canopy







Aluminum Shade with Glass and Guard Options Catalog #:

Project: Type:

Date:


Notes:

Knuckle Accessory Order Matrix (Example: 2KNTGP)

Pipe	Finish	Finish		Coastal Coating Option
	KNL (Adjustable 180° Knuckle	ABL BB BK BLU DVG FLG GA LG MB MBL PNA PNC RD SGR SGW SND SS TBZ TGP TNG TTL	(Flannel Gray) (Galvanized) (Lime Green) (Matte Black) (Midnight Blue) (Painted Natural Aluminum) (Painted Natural Copper) (Red) (Sage Green) (Semi Gloss White) (Sand) (Satin Silver) (Textured Bronze) (Textured Graphite) (Tangerine) (Tahitian Teal)	(blank) (No coating) -C (Coating)
		WT YEL	(Gloss White) (Yellow)	

Description

Adjustable knuckle for arm mounts that allow luminaire to be rotated up to 180°.



KEY: Standard Finishes

ABL	(Aegean Blue)	LG	(Lime Green)	SGR	(Sage Green)
BB	(Burnished Bronze)	MB	(Matte Black)	SGW	(Semi Gloss White)
BK	(Gloss Black)	MBL	(Midnight Blue)	SND	(Sand)
BLU	(Blue)	PNA	(Painted Natural Aluminum)	SS	(Satin Silver)
DVG	(Dove Gray)	PNC	(Painted Natural Copper)	TBZ	(Textured Bronze)
FLG	(Flannel Gray)	RD	(Red)	TGP	(Textured Graphite)

Specialty Finishes





(Galvanized)



Aluminum Shade with Glass and Guard Options

Catalog #:

Project:

Date: Notes:

Post / Wall Mount Order Matrix (Example: 2W1TGP)

Pipe	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount) P2 (Double Post Mount) W1 (Traditional Wall Mount)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (120V) -27 ⁵ (277V)

5. Post mount only

Post Type Order Matrix (Example: P8683-96TGP)

Post Type	Finish
PM4946 P863-96 (Cast Aluminum Post) (Cast Aluminum Base w/ 96" Aluminum Post) P8683-120 P8684-96 P8684-120 (96" Straight Aluminum Post) PM8685 (Cast Aluminum Post) PM8685	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Tangerine) TTL (Tahittan Teal) WT (Gloss White) YEL (Yellow)


Standard Finishes

	ABL	(Aegean Blue)	RD	(Red)
	BB	(Burnished Bronze)	SGR	(Sage Green)
	BK	(Gloss Black)	SGW	(Semi Gloss White)
	BLU	(Blue)	SND	(Sand)
	DVG	(Dove Gray)	SS	(Satin Silver)
	FLG	(Flannel Gray)	TBZ	(Textured Bronze)
	LG	(Lime Green)	TGP	(Textured Graphite)
	MB	(Matte Black)	TNG	(Tangerine)
	MBL	(Midnight Blue)	TTL	(Tahitian Teal)
	PNA	(Painted Natural Aluminum)	WT	(Gloss White)
	PNC	(Painted Natural Copper)	YEL	(Yellow)

Specialty Finishes


GA (Galvanized)


Spec-00034 Revised 05/07/2020



Type:

Traditional Wall Mount





6-3/4"



Aluminum Shade with Glass and Guard Options

Catalog #:

Project:


Type:

Date:

Notes:

Stem Mount Order Matrix (Example: 2HS18TGP)

Pipe	Stem Length	Finish	Coastal Coating Option
2 (1/2" IP)	HS12 (12") HS18 (18") HS24 (24") HS36 (36") HS48 (48") HS (Custom length from 2" up to 60")	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper) RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (No coating) -C (Coating)




KEY: Standard Finishes ABL (Aegean Blue) LG (Lime Green) SGR (Sage Green) (Burnished Bronze) MB (Matte Black) SGW (Semi Gloss White) (Gloss Black) MBL (Midnight Blue) SND (Sand) BLU PNA (Painted Natural Aluminum) (Blue) SS (Satin Silver) DVG (Dove Gray) PNC (Painted Natural Copper) TBZ (Textured Bronze) FLG (Flannel Gray) RD (Red) TGP (Textured Graphite)

Specialty Finishes

GA (Galvanized)

Ceiling Flush Mount Canopy




Pendant Canopy

TNG (Tangerine)

YEL

TTL (Tahitian Teal)WT (Gloss White)

(Yellow)



Note: Ceiling flush mount canopy includes 2" stem